

Entropy of amenable monoid actions

*Dikran Dikranjan**, Anna Giordano Bruno, Simone Virili

dikran.dikranjan@uniud.it,
anna.giordanobruno@uniud.it,
virili.simone@gmail.com

For a right action $K \overset{\rho}{\curvearrowright} S$ of a cancellative right amenable monoid S on a compact Hausdorff space K , we build its *Ore colocalization* $K^* \overset{\rho^*}{\curvearrowright} G$, where K^* is a compact space and G is the group of left fractions of S . This construction preserves the topological entropy (i.e., $h_{\text{top}}(\rho^*) = h_{\text{top}}(\rho)$) and linearity of the action.

Similarly, for a left linear action $S \overset{\lambda}{\curvearrowright} X$ on a discrete Abelian group X , we construct its *Ore localization* $G \overset{\lambda^*}{\curvearrowright} X^*$, which is linear and preserves the algebraic entropy h_{alg} (i.e., $h_{\text{alg}}(\lambda^*) = h_{\text{alg}}(\lambda)$). Moreover, if $K \overset{\rho}{\curvearrowright} S$ a right linear action with K a compact Abelian group and $S \overset{\rho^\wedge}{\curvearrowright} X$ is the dual left action on the discrete Pontryagin dual $X := K^\wedge$, then the Ore localization of ρ^\wedge is conjugated to dual of the Ore colocalization $K^* \overset{\rho}{\curvearrowright} G$. Using this fact, we prove the useful equality $h_{\text{top}}(\rho) = h_{\text{alg}}(\rho^\wedge)$, known also as *Bridge Theorem*.

We obtain an *Addition Theorem for h_{top}* (i.e., for a linear action $K \overset{\rho}{\curvearrowright} S$ on a compact group K , a ρ -invariant closed subgroup H of K and the left cosets space K/H , $h_{\text{top}}(\rho) = h_{\text{top}}(\rho_H) + h_{\text{top}}(\rho_{K/H})$), as well as a similar *Addition Theorem for h_{alg}* .